

Acer eRecovery Management 3.0 : Release Notes

1. Product Release Information

Product Name: Acer eRecovery Management 3.0

Release Number: 3.0.3013

Release Date: 2008/06/12

Customer Support: Heater Ho, Joe Lin, Cigar Huang

2. Introduction

This document contains the release notes for Acer eRecovery Management 3.0. The following sections describe the release in detail and provide late-breaking or other information that supplements the main documentation.

3. What's New

- 3.0.3013 June 12, 2008

1. Updated files

(1) eRecoveryMain.exe	v3.0.3.12
(2) eRecoveryUI.exe	v3.0.3.13
(3) eRecoveryMenuPlugin.dll	v3.0.3013.15

2. Issue solved

- (1) In x64, if preinstall x86 VC runtime v8.0.56336, eRecovery installer still install the same VC runtime. If user name is typed in VC runtime un-support language, eRecovery installer will appear VC runtime error message.

	3.0.3012 and before	3.0.3013
x86 OS	Check x86 VC runtime installed. If no, install x86 VC runtime.	Check x86 VC runtime installed. If no, install x86 VC runtime.
x64 OS	Check x86 VC runtime installed. But the checking logic is wrong. No matter x86 VC runtime is installed or not, eRecovery installer will always install VC x86 again.	Check x86 VC runtime installed. If no, install x86 VC runtime.

- (2) If burns factory default disc fail and burns again, the RCD.dat number in factory default disc will be incorrect. Note: It does not affect CD2D.
- (3) Click "Backup drivers and applications to CD/DVD" button. The eRecovery icon shows in taskbar will be abnormal.
- (4) Bug DB 269: The check change button does not become gray while click full backup radio button.

3. Others

(1) None

4. Spec. change

(1) None

4. Known issue

(1) This version should be installed with ETFv3.0.3001 or later.

(2) Upgrading from version earlier than 3.0.3001 is not supported.

5. Limitations

(1) Do not remove your external ODD and HDD when you are testing.

(2) Do not support fingerprint authentication.

(3) Only support 96 and 120 DPI.

(4) In some languages (ex:TC), redundant “?” in Installshield wizard when upgrading eAP.

(5) In some languages (ex:SV), the license statement UI of installer is not arranged well.

(6) NTI burn bootable limitation. AcerBoot.iso could not have the same file or folder path as data to be burned in disc. EX: AcerBoot.iso got patch folder itself. Data disc creates a patch folder in disc. EX

AcerBoot.iso ----- \Boot

|--- \EFI

|--- \Patch

Data burn in disc ---- \Images

|---- \Patch

Patch folder is duplication, NTI SDK will crash.

(7) In Monserrat, do full user backup from AHCI disk 1 partition 1. After reboot, change disk to IDE in BIOS, disk number will change disk 0. Incremental backup from IDE disk 0 partition 0 will fail.

(8) Wasay limitation: While extract software disc, there will appear a new “acer” partition. It is Wasay mounting hidden partition image.

4. Minium System Requirements

System Processor: Intel or AMD IA32 processor

System Memory: 512MB+ (1024MB+ recommended)

Free Disk Space: 20MB+(with 4GB or more hidden partition created by Acer NAPP 5.0 process)

Operating System: Microsoft Windows Vista

Networking: None required

Existing Software: .NET Framework 2.0

5. Version History

- 3.0.3012 June 4, 2008

- 1. Updated files

- | | |
|--------------------------------|--------------|
| (1) eRecoveryMain.exe | v3.0.3.11 |
| (2) eRecoveryUI.exe | v3.0.3.12 |
| (3) eRecoveryMenuPlugin.dll | v3.0.3012.15 |
| (4) eRecovery.RemoteServer.dll | v3.1.3001.21 |

2. Issue solved

- (5) On checking application files before burning application disc, it only checks first 1040 files. If user deletes files after first 1040 files, it will not recover application files.
- (6) While extract software disc files, eRecovery will mount hidden partition as drive.
Solution: mount hidden partition as folder while extract software disc.
- (7) eRecovery may always re-extract software disc. Root cause: eRecovery does not launch checkfile.exe after extracting software disc complete.

3. Others

- (1) None

4. Spec. change

- (1) Not all pap files in hidden partition\D2D\patch\tools\PreloadPN\PAP need to be burned in patch disc. Only burn the pap files which corresponding to the same language ID of image files.

4. Known issue

- (3) This version should be installed with ETFv3.0.3001 or later.
- (4) Upgrading from version earlier than 3.0.3001 is not supported.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Do not support fingerprint authentication.
- (3) Only support 96 and 120 DPI.
- (4) In some languages (ex:TC), redundant “?” in Installshield wizard when upgrading eAP.
- (5) In some languages (ex:SV), the license statement UI of installer is not arranged well.
- (6) NTI burn bootable limitation. AcerBoot.iso could not have the same file or folder path with data to be burned in disc. EX: AcerBoot.iso got patch folder itself. Data disc could create a patch folder in disc. EX

```

AcerBoot.iso -----\Boot
                        |---\EFI
                        |---\Patch
Data burn in disc-----\Images
                        |----\Patch

```

Patch folder is duplication, NTI SDK will crash.
- (7) In Monserrat, do full user backup from AHCI disk 1 partition 1. After reboot, change disk to IDE in BIOS, disk number will change disk 0. Incremental backup from IDE disk 0 partition 0 will fail.
- (8) Wasay limitation: While extract software disc, there will appear a new “acer” partition. It is Wasay mounting hidden partition image.

-

- 3.0.3011 May 7, 2008

1. Updated files

- (1) eRecoveryMain.exe v3.0.3.10
- (2) eRecovery.RemoteServer.dll v3.1.3001.19
- (3) eRecovery.MenuPlugin.dll v3.0.3011.15
- (4) HidChk.exe v3.0.0.17
- (5) MBRwrWin.exe v1.42

2. Issue solved

- (8) In 2 HDD machine, eRecovery will always mount disk 0 partition 1 as hidden partition. In Monserrat, 1 AHCI HDD and 1 IDE HDD will change disk number.

3. Others

- (1) None

4. Spec. change

- (1) None

4. Known issue

- (5) This version should be installed with ETFv3.0.3001 or later.
- (6) Upgrading from version earlier than 3.0.3001 is not supported.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Do not support fingerprint authentication.
- (3) Only support 96 and 120 DPI.
- (4) In some languages (ex:TC), redundant "?" in Installshield wizard when upgrading eAP.
- (5) In some languages (ex:SV), the license statement UI of installer is not arranged well.
- (6) NTI burn bootable limitation. AcerBoot.iso could not have the same file or folder path with data to be burned in disc. EX: AcerBoot.iso got patch folder itself. Data disc could create a patch folder in disc. EX
AcerBoot.iso ----- \Boot
 |--- \EFI
 |--- \Patch
Data burn in disc----- \Images
 |--- \Patch
Patch folder is duplication, NTI SDK will crash.
- (7) In Monserrat, full user backup from AHCI disk 1 partition 1. After reboot, change disk to IDE in BIOS, disk number will change disk 0. Incremental backup from IDE disk 0 partition 0 will fail.

-

- 3.0.3010 April 30, 2008

1. Updated files

- (1) eRecoveryUI.exe v3.0.3.11

- (3) eRecoveryMain.exe v3.0.3.9
- (4) BurnMachine.dll v1.0.0.70
- (5) eRecovery.RemoteServer.dll v3.1.3001.18
- (6) eRecovery.MenuPlugin.dll v3.0.3010.15
- (7) NTI SDK R82

2. Issue solved

- (9) Bug DB No 269: The " Check Change" function is wrong
- (10) Bug DB No 243: Insert CD or DVD to burn data will show error message = 17
- (11) Bug DB No 244: Unhandled exception pops up when doing changing disks during Factory Default

3. Others

- (1) While extracts software disc, mount Wasay factory image file as read only privilege
- (2) Update NTI SDK to R82. It supports burn DVD-R DL bootable and data disc.

4. Spec. change

- (1) PAP module list spec. change by INTERFACE OF GAIA & NAPP_V0.6

4. Known issue

- (7) This version should be installed with ETFv3.0.3001 or later.
- (8) Upgrading from version earlier than 3.0.3001 is not supported.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Do not support fingerprint authentication.
- (3) Only support 96 and 120 DPI.
- (4) In some languages (ex:TC), redundant "?" in Installshield wizard when upgrading eAP.
- (5) In some languages (ex:SV), the license statement UI of installer is not arranged well.
- (6) NTI burn bootable limitation. AcerBoot.iso could not have the same file or folder path with data to be burned in disc. EX: AcerBoot.iso got patch folder itself. Data disc could create a patch folder in disc. EX

```
AcerBoot.iso -----\Boot
                    |---\EFI
                    |---\Patch
Data burn in disc----\Images
                    |---\Patch
```

Patch folder is duplication, NTI SDK will crash.

•

• 3.0.3009 April 14, 2008

1. Updated files

- (1) eRecoveryUI.exe v3.0.3.10
- (3) eRecoveryMain.exe v3.0.3.8
- (4) BurnMachine.dll v1.0.0.69

- (5) eRecovery.RemoteServer.dll v3.1.1000.17
- (6) eRecovery.MenuPlugin.dll v3.0.3009.15

2. Issue solved

- (12) Bug No.259: The window "eRY ... stopped working" pops up when installing if ETF is not installed

3. Others

- (1) Software disc extraction support incremental backup
- (2) In ES, IT and SV burn 2nd disc will show disc 3rd burn success
- (3) Recovery's icon is incorrect on Taskbar
- (4) eRecovery does not set max burning speed while burn DVD+-RW

4. Known issue

- (9) This version should be installed with ETFv3.0.3001 or later.
- (10) Upgrading from version earlier than 3.0.3001 is not supported.
- (11) Bug No. 244: Unhandled exception pops up when doing changing disks during Factory Default
- (12) Nti R78 issue: DVD-R DL set as unsupported disc media. Because Nti burn DVD-R DL could not boot.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Do not support fingerprint authentication.
- (3) Only support 96 and 120 DPI.
- (4) In some languages (ex:TC), redundant "?" in Installshield wizard when upgrading eAP.
- (5) In some languages (ex:SV), the license statement UI of installer is not arranged well.

•

• 3.0.3008 Mar 28, 2008

1. Updated files

- (1) eRecovery.MenuPlugin.dll v3.0.3008.15
- (2) eRecoveryUI.exe v3.0.3.8
- (3) eRecoveryMain.exe v3.0.3.7
- (4) eRecovery.RemoteServer.dll v3.1.1000.16
- (5) eRecoveryRemindBurnFD.exe v3.0.3008.5
- (6) eRecovery.RemoteServerInterface v3.0.3008.13
- (7) eRecovery.ServicePlugin.dll v3.1.1000.18

2. Issue solved

- (13) Bug No.252: ETF toolbar cannot be launched automatically after manual installing eRY.
- (14) Bug No. 254: [AR] Un-readable wording shows when installing eRY in AR native OS

(15) Bug No 258: Confirm delete message is wrong during deleting non-lastest backup point.

3. Others

- (1) For Wistron preload limitation, eRecovery v3.0.3008 will find patch from either "Hidden partition\\D2D\\Patch\\Tools\\PreloadPN\\PAP\" or \\D2D\\Patch\\Tools\\Preload\\PAP\\
- (2) Set hidden partition id =27 in RU. IO exception pop up. Error rate very low. We already handle this exception.

4. Known issue

- (13) This version should be installed with ETFv3.0.3001 or later.
- (14) Upgrading from version earlier than 3.0.3001 is not supported.
- (15) Bug No. 244: Unhandled exception pops up when doing changing disks during Factory Default

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Do not support fingerprint authentication.
- (3) Only support 96 and 120 DPI.
- (4) In some languages (ex:TC), redundant "?" in Installshield wizard when upgrading eAP.
- (5) In some languages (ex:SV), the license statement UI of installer is not arranged well.

●

● 3.0.3007 Mar 6, 2008

1. Updated files

- (1) eRecovery.MenuPlugin.dll v3.0.3007.15
- (2) eRecoveryUI.exe v0.0.3.17
- (3) eRecoveryMain.exe v0.0.4.4

2. Issue solved

- (16) Bug No.241: [RU] Unhandled exception pops up when launch eRecovery
- (17) Bug No.245: Message "Wait kernel.." pops up when first launching
- (18) Bug No.246: The factory default button"!" wrong
- (19) Bug No.250: The Backup wording wrong
- (20) Bug No.251: Error message "UI stopped working" pops up when change ETF install disk.

3. Others

None

4. Known issue

- (16) This version should be installed with ETFv3.0.3001 or later.
- (17) Upgrading from version earlier than 3.0.3001 is not supported.

(18) Bug No. 244: Unhandled exception pops up when doing changing disks during Factory Default

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Do not support fingerprint authentication.
- (3) Only support 96 and 120 DPI.
- (4) In some languages (ex:TC), redundant “?” in Installshield wizard when upgrading

eAP.

- (5) In some languages (ex:SV), the license statement UI of installer is not arranged well.

•

• 3.0.3006 Feb 14, 2008

1. Updated files

- | | |
|------------------------------|--------------|
| (1) eRecovery.MenuPlugin.dll | v3.0.3006.14 |
| (2) BurnMachine.dll | v.1.0.0.68 |
| (3) eRecoveryUI.exe | v0.0.3.16 |
| (4) eRecoveryMain.exe | v0.0.4.3 |

2. Issue solved

- (1) Bug No.230: Estimated time and percentage error
- (2) Bug No.235: The Backup point name and time is disorder
- (3) Bug No.240: The second disc will re-copy driver and application of first disc

3. Others

- (1) Replace NTI SDK to R78. (Support DVD –RDL and DVD+RW)
- (2) Remove “Verify disc” check box from UI to enforce users to do verifying.
- (3) Sort factory default images using file name (For Wistron issue.).

4. Known issue

- (1) This version should be installed with ETFv3.0.3001 or later.
- (2) Upgrading from version earlier than 3.0.3001 is not supported.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Do not support fingerprint authentication.
- (3) Only support 96 and 120 DPI.
- (4) In some languages (ex:TC), redundant “?” in Installshield wizard when upgrading

eAP.

- (5) In some languages (ex:SV), the license statement UI of installer is not arranged well.

• 3.0.3005 Feb 1, 2008

1. Updated files

- (1) eRecovery.MenuPlugin.dll v3.0.3005.14
- (2) BurnMachine.dll v.1.0.0.67
- (3) eRecoveryUI.exe v0.0.3.15
- (4) eRecoveryMain.exe v0.0.4.2

2. Issue solved

- (1) Bug No.231: Fail to burn DVD+RW; eRY always shows "code#1005".

3. Others

None

4. Known issue

- (1) This version should be installed with ETFv3.0.3001 or later.
- (2) Upgrading from version earlier than 3.0.3001 is not supported.
- (3) Can not burn DVD-R DL disc.
- (4) Bug No. 221: eRY can burn CD/DVD in the locked ODD
- (5) Bug No. 225: eRY's icon on Taskbar is incorrect.
- (6) Bug No. 227: D2D does not ask user to input password.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Burning double –layer disc is not stable due to NTI's engine.
- (3) Do not support fingerprint authentication.
- (4) Only support 96 and 120 DPI.
- (5) In some languages (ex:TC), redundant “?” in Installshield wizard when upgrading

eAP.

- (6) In some languages (ex:SV), the license statement UI of installer is not arranged well.

• 3.0.3004 Jan 30, 2008

1. Updated files

- (1) eRecovery.MenuPlugin.dll v3.0.3004.14
- (2) BurnMachine.dll v.1.0.0.66
- (3) eRecoveryUI.exe v0.0.3.14

2. Issue solved

- (1) Bug No.223: Unhandled exception pops up when executing "Create User Backup" on USB HDD
- (2) Bug No.224: eRY does not eject the CD/DVD after burning
- (3) Bug No.226: "Restore system from factory default" procedure error caused by user behavior error

3. Others

- (1) Replace NTI SDK. (R75)

4. Known issue

- (1) This version should be installed with ETFv3.0.3001 or later.

- (2) Upgrading from version earlier than 3.0.3001 is not supported.
- (3) Can not burn DVD-R DL disc.
- (4) Bug No. 221: eRY can burn CD/DVD in the locked ODD
- (5) Bug No. 225: eRY's icon on Taskbar is incorrect.
- (6) Bug No. 227: D2D does not ask user to input password.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Burning double –layer disc is not stable due to NTI's engine.
- (3) Do not support fingerprint authentication.
- (4) Only support 96 and 120 DPI.
- (5) In some languages (ex:TC), redundant “?” in Installshield wizard when upgrading

eAP.

- (6) In some languages (ex:SV), the license statement UI of installer is not arranged well.

• 3.0.3003 Jan 29, 2008

1. Updated files

- (1) eRecovery.MenuPlugin.dll v3.0.3003.14

2. Issue solved

- (1) Solve installation without hidden partition is valid.

3. Known issue

- (1) This version should be installed with ETFv3.0.3001 or later.
- (2) Upgrading from version earlier than 3.0.3001 is not supported.
- (3) Can not burn DVD-R DL disc.

4. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Burning double –layer disc is not stable due to NTI's engine.
- (3) Do not support fingerprint authentication.
- (4) Only support 96 and 120 DPI.
- (5) In some languages (ex:TC), redundant “?” in Installshield wizard when upgrading

eAP.

- (6) In some languages (ex:SV), the license statement UI of installer is not arranged well.

• 3.0.3002 Jan 28, 2008

1. Updated files

- (1) eRecoveryUI.exe v0.0.3.13
- (2) eRecoveryMain.exe v0.0.4.1
- (3) BurnMachine.dll v1.0.0.65
- (4) eRecovery.ServicePlugin.dll v3.0.3002.16

2. Issue solved

- (1) Bug 178: Backup factory default to CD/DVD error
- (2) Bug 204: Fail to burn BD-R; eRY always requests to insert a new disk
- (3) Bug 206: Behavior of eRY's notification window is not suitable
- (4) Bug 207: eRY's wording is not suitable when uninstalling
- (5) Bug 210: Some file of GAC still exists
- (6) Bug 211: Stop working happen when change next disc to burn
- (7) Bug 212: The window "eRY ... stopped working" pops up when burning with USB drive

3. Others

- (1) Replace NTI SDK (Rollback to R70 version 2)
- (2) Installer could pass multiple DSI files within factory default images. (Wistron's request)

4. Known issue

- (1) This version should be installed with ETFv3.0.3001 or later.
- (2) Upgrading from version earlier than 3.0.3001 is not supported.
- (3) Can not burn DVD-R DL disc.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Burning double -layer disc is not stable due to NTI's engine.
- (3) Do not support fingerprint authentication.
- (4) Only support 96 and 120 DPI.
- (5) In some languages (ex:TC), redundant "?" in Installshield wizard when upgrading

eAP.

- (6) In some languages (ex:SV), the license statement UI of installer is not arranged well.

• 3.0.3001 Jan 18, 2008

1. Updated files

- | | |
|---------------------------------|--------------|
| (1) eRecoveryUI.exe | v0.0.3.12 |
| (2) eRecoveryMain.exe | v0.0.4.0 |
| (3) BurnMachine.dll | v1.0.0.64 |
| (4) eRecovery.RemoteServer.dll | v3.0.3001.12 |
| (5) eRecovery.ServicePlugin.dll | v3.0.3001.15 |

2. Issue solved

- (1) Bug 180: Unhandled exception pops up if lock the USB HDD which is under burning
- (2) Bug 181: The Notifications UI is wrong
- (3) Bug 182: eRY's error message for guest users does not in the same instance

- (4) Bug 183: eRecovery Management kernel stop working during verifying
- (5) Bug 187: Restore system to factory default" fail to work in Kilim-21
- (6) Bug 188: Restore system to factory default not working
- (7) Bug 192: Unhandled exception appear in manage user backup
- (8) Bug 193: The check button is too long
- (9) Bug 194: eRecovery Management kernel stop working after reboot and system not ready
- (10) Bug 195: The Backup UI wrong
- (11) Bug 196: Error window "eRecovery ... stopped ..." pops up if launch eRY after upgrading
- (12) Bug 197: The "Restore" icon wrong in 120 dpi
- (13) Bug 198: The Backup image "destination" is can't refresh
- (14) Bug 201: The " ! " UI color wrong
- (15) Bug 202: The same to create user backup "Check change" button color
- (16) Bug 203: The Notifications function is wrong

3. Others

- (1) Dynamic load ETF's library.
- (2) Receive OBR event from ETF.
- (3) Replace new NTI SDK (version issue)

4. Known issue

- (1) Some bugs still need to clarify by NTI.
Bug189: Fail to burn factory default to external drive when playing HiChannel
Bug199: Fail to backup drivers and applications to cd/dvd when using USB drive
- (2) This version should be installed with ETFv3.0.3001 or later.
- (3) Upgrading from previous version is not supported.

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Burning double –layer disc is not stable due to NTI's engine.
- (3) Do not support fingerprint authentication.
- (4) Only support 96 and 120 DPI.
- (5) In some languages (ex:TC), redundant “?” in Installshield wizard when upgrading

eAP.

- (6) In some languages (ex:SV), the license statement UI of installer is not arranged well.

6. Spec. change

- (1) Notification message shows up after 10 minutes from login time.

• 3.0.3000 Jan 2, 2008

1. Updated files

- (1) eRecoveryUI.exe v0.0.3.9

- (2) eRecoveryMain.exe v0.0.3.8
- (3) BurnMachine.dll v1.0.0.63
- (4) BackupMachine.exe v1.0.0.5
- (5) eRecoveryMenuPlugin v3.0.3000.13
- (6) eRecovery.RemoteServer.dll v3.0.3000.11
- (7) eRecovery.RemoteServerInterface.dll v3.0.3000.13
- (8) eRecovery.ServicePlugin.dll v3.0.3000.12
- (9) eRecoveryRemindBurnFD.exe v3.0.3000.4

2. Issue solved

- (1) Bug DB No 154~166, 171, 172.

3. Others

- (1) Automatically remove program when checking acer's hidden partition is failed.
- (2) Support burning multiple DSI files with factory default disc.
- (3) Replace new Wasay's SDK to solve blue screen issue. (Remove external HDD.)
- (4) Replace new NTI's SDK to get lower memory usage.
- (5) Do not use USB driver for temporary backup storage.

• 3.0.2002 Dec 18, 2007

1. Updated files

- (1) eRecoveryUI.exe v0.0.3.2
- (2) eRecoveryMain.exe v0.0.3.8
- (3) BurnMachine.dll v1.0.0.62
- (4) BackupMachine.exe v1.0.0.5
- (5) eRecoveryMenuPlugin v3.0.2002.13
- (6) eRecovery.RemoteServer.dll v1.0.0.9
- (7) eRecovery.RemoteServerInterface.dll v3.0.0.13

2. Issue solved

- (1) Bug DB No 65~112, 114~125, 127~153.

3. Others

- (1) Rename patchCD.dat to SystemCD.dat when burning into disc.
- (2) Multi-language support is ready (including help files)

4. Known issue

- (1) Not support standalone version yet. (Bug No.55)
- (2) Some strings have not been translated yet. (Bug No.113, 126)

5. Limitations

- (1) Do not remove your external ODD and HDD when you are testing.
- (2) Burning double -layer disc is not stable due to NTI's engine.

- 3.0.2001 Dec 7, 2007

1. Updated files
 - (1) eRecoveryUI.exe v0.0.2.9
 - (2) eRecoveryMain.exe v0.0.3.6
2. Issue solved
 - (1) Bug DB No 51. (Support x64)
3. Others
None
4. Known issue
 - (1) Can not extract again when SWCD files crashed. (Bug No.21)
 - (2) Not support all multi-language yet (including help files). Only supports EN, TC and SC.
 - (3) Not support standalone version yet. (Bug No.55)
 - (4) Restoring factory default or user's backup will be failed because calling wrong int15 service.

- 3.0.2000 Dec 5, 2007

1. Updated files
 - (1) eRecoveryUI.exe v0.0.2.7
 - (2) eRecoveryMain.exe v0.0.3.4
 - (3) BackupMachine.exe v1.0.0.3
 - (4) eRecovery.RemoteServer.dll v1.0.0.7
 - (5) BurnMachine.dll v1.0.0.59
 - (6) eRecoveryRemindBurnFD.exe v3.0.0.1
 - (7) eRecovery.ServicePlugin.dll v3.0.0.8
 - (8) eRecovery.RemoteServerInterface.dll v3.0.0.11
 - (9) eRecoveryMenuPlugin.dll v3.0.2000.12
 - (10) Interop.BCDDConstants.dll v1.0.0.0
2. Issue solved
 - (1) Bug DB No 42,43,44,45,46,47,48,49,50,53,54,56,57,58,59,60,61,62,64
3. Others
 - (1) Change installer to original package.
 - (2) Replace UI component.
 - (3) Add bitlocker detection to block some scenarios.
 - (4) Add CHS and CHT multi-language support.
4. Known issue
 - (1) Can not extract again when SWCD files crashed.

- (2) Not support all multi-language yet (including help files).
- (3) Not support x64 yet.

- 3.0.1000 Nov 23, 2007

- 1. Updated files
 - (1) eRecoveryUI.exe v0.0.2.3
 - (2) eRecoveryMain.exe v0.0.3.1
 - (3) BackupMachine.exe v1.0.0.3
 - (4) eRecovery.RemoteServer.dll v1.0.0.5
 - (5) BurnMachine.dll v1.0.0.58
 - (6) eRecoveryRemindBurnFD.exe v3.0.0.1
 - (7) eRecovery.ServicePlugin.dll v3.0.0.8
 - (8) eRecovery.RemoteServerInterface.dll v3.0.0.9
 - (9) eRecoveryMenuPlugin.dll v3.0.1000.11
- 2. Issue solved
 - (1) Bug DB No 1,2,3,5,6,7,8,9,10,14,15,17,18,19,20,22,25,26,28,37,38,39.
- 3. Others
 - (1) Add travelmate UI.
 - (2) Change installer to msi package.
 - (3) Replace UI component
- 4. Known issue
 - (1) Bug DB No21: Will fix in the next release
 - (2) Not support multi-language yet.
 - (3) Not support Bitlocker system yet.

- 3.0.0000 Oct 31, 2007