

## Appendix B

### Hard Disk Types

Type	Cylinders	Heads	Write Pre-comp	Landing Zone	Sectors per Track	Disk Size
1	306	4	128	305	17	10
2	615	4	300	615	17	20
3	615	6	300	615	17	30
4	940	8	512	940	17	62
5	940	6	512	940	17	46
6	615	4	None	615	17	20
7	462	8	256	511	17	30
8	733	5	None	733	17	30
9	900	15	None	901	17	112
10	820	3	None	820	17	20
11	855	5	None	855	17	35
12	855	7	None	855	17	49
13	306	8	128	319	17	20
14	733	7	None	733	17	42
15	Reserved					
16	612	4	0	663	17	20
17	977	5	300	977	17	40
18	977	7	None	977	17	56
19	1024	7	512	1023	17	59
20	733	5	300	732	17	30

Type	Cylinders	Heads	Write Pre-comp	Landing Zone	Sectors per Track	Disk Size
21	733	7	300	732	17	42
22	733	5	300	733	17	30
23	306	4	0	336	17	10
24	612	4	305	663	17	20
25	306	4	None	340	17	10
26	612	4	None	670	17	20
27	698	7	300	732	17	40
28	976	5	488	977	17	40
29	306	4	0	340	17	10
30	611	4	306	633	17	20
31	732	7	300	732	17	42
32	1023	5	512	1023	17	42
33	944	14	0	944	40	258
34	723	11	0	723	63	244
35	731	13	None	None	26	120
36	980	15	None	None	17	122
37	936	16	None	936	17	124
38	981	5	None	981	17	40
39	981	10	None	981	17	81
40	762	8	None	762	39	116
41	826	16	0	826	63	406
42	832	8	None	832	33	107
43	683	12	None	683	38	152
44	513	16	None	513	38	152
45	1024	16	0	1024	30	240
46	683	16	None	683	38	202
47	832	6	None	832	33	80

Type	Cylinders	Heads	Write Pre-comp	Landing Zone	Sectors per Track	Disk Size
48	615	2	300	615	34	20
49	989	16	0	989	63	486
50	823	4	None	823	38	61
51	1001	15	None	1001	17	124
52	1011	15	None	None	22	162
53	723	13	None	None	51	234
54	548	8	None	548	38	81
55	1013	4	None	None	41	81
56	929	15	None	None	17	115
57	817	14	None	None	36	201
58	1017	16	None	None	63	500
59	802	4	None	802	39	61
60	1024	9	None	1023	17	76
61	895	5	0	894	55	120
62	1010	12	0	1009	55	325
63	966	10	None	None	34	160
64	1024	8	None	1023	17	68
65	1024	11	None	1023	17	93
66	918	11	None	1023	17	83
67	Reserved					
68	1024	10	None	1023	17	85
69	1024	12	None	1023	17	102
70	1024	13	None	1023	17	110
71	1024	14	None	1023	17	119
72	959	11	None	959	50	257
73	1024	16	None	1023	17	136
74	918	15	None	1023	17	114

Type	Cylinders	Heads	Write Pre-comp	Landing Zone	Sectors per Track	Disk Size
75	1010	16	0	1010	51	402
76	Reserved					
77	1024	8	512	1023	17	68
78	790	15	None	None	57	329
79	1001	15	None	None	34	249
80	1024	16	None	None	63	504
81	Reserved					
82	Reserved					
83	1024	15	None	1223	17	127
84	776	8	None	775	33	100
85	926	13	None	926	17	99
86	Reserved					
87	976	5	None	976	17	40
88	Reserved					
89	747	2	None	760	28	20
90	782	2	None	862	27	20
91	985	13	None	None	32	200
92	816	15	None	816	32	191
93	968	5	None	None	17	40
94	903	8	None	None	46	162
95	966	5	None	0	34	80
96	535	10	0	0	50	130
97	715	10	0	0	50	174
98	1016	16	0	1016	63	500
99	996	16	0	996	63	490
Auto						
User type 1	User-defined					
User type 2	User-defined					

The system supports the following 12.7mm, 2.5-inch hard disk drives:

Vendor	Model	Capacity
Seagate	ST9420AG	420 MB
IBM	DBOA2540	540 MB
	DSOA-2810	810 MB
Hitachi	DK-222	540 MB
	DK223-81	810 MB
Toshiba	MK1926F	810 MB

Use the space provided in the above table to record additional hard disks that will be available in the future.