

## RevisionHistory

Doc No.															
Doc No.		Revision	Release date												
eNet_2.6.4303_EPTR		0	2007/12/21												
History															
Version	Issue date (Year/Month/Day)	Comment	Author												
2.6.4008	2007/5/2	First draft	Horace												
2.6.4008	2007/8/8	1. Remove "Compatibility-> Network and Sharing Center-> Printer sharing & Media sharing" 2. Modify Reliability: action when return from Sleep and Hibernate 3. Enrich the relationship between issue and test case	Cosmo												
		<table><tr><th>Issue</th><th>Test case</th></tr><tr><td>Proxy Bypass Setting Issue</td><td>Compatibility-&gt; Software-dependent-&gt; Bypass Proxy</td></tr></table>		Issue	Test case	Proxy Bypass Setting Issue	Compatibility-> Software-dependent-> Bypass Proxy								
Issue	Test case														
Proxy Bypass Setting Issue	Compatibility-> Software-dependent-> Bypass Proxy														
2.6.4008	2007/8/22	Enrich the relationship between issue and test case	Cosmo												
		<table><tr><th>Issue</th><th>Test case</th></tr><tr><td>Export profile to SD (bug#104)</td><td>Functionality-&gt; Profile management-&gt; Export-&gt; Export to USB device</td></tr><tr><td>AP is re-connected automatically after clicking Disconnect (bug#097)</td><td>Reliability-&gt; Switch user -&gt; Admin01&lt;-&gt;Admin02 -&gt; Disconnect AP</td></tr><tr><td>eNet hangs issue (bug#096)</td><td>Reliability-&gt; Switch user-&gt; Admin01&lt;-&gt;Admin02-&gt; Continuously click "Disconnect" &amp; "Connect"</td></tr><tr><td>No AP is found issue (bug#095)</td><td>Reliability-&gt;Switch user-&gt;Admin01&lt;-&gt;Admin02-&gt;Wake up from Sleep mode</td></tr><tr><td>Connecting a WEP AP with the incorrect network key (bug#099)</td><td>Reliability-&gt; Switch user -&gt; Move location-&gt; 9F to 15F</td></tr></table>		Issue	Test case	Export profile to SD (bug#104)	Functionality-> Profile management-> Export-> Export to USB device	AP is re-connected automatically after clicking Disconnect (bug#097)	Reliability-> Switch user -> Admin01<->Admin02 -> Disconnect AP	eNet hangs issue (bug#096)	Reliability-> Switch user-> Admin01<->Admin02-> Continuously click "Disconnect" & "Connect"	No AP is found issue (bug#095)	Reliability->Switch user->Admin01<->Admin02->Wake up from Sleep mode	Connecting a WEP AP with the incorrect network key (bug#099)	Reliability-> Switch user -> Move location-> 9F to 15F
Issue	Test case														
Export profile to SD (bug#104)	Functionality-> Profile management-> Export-> Export to USB device														
AP is re-connected automatically after clicking Disconnect (bug#097)	Reliability-> Switch user -> Admin01<->Admin02 -> Disconnect AP														
eNet hangs issue (bug#096)	Reliability-> Switch user-> Admin01<->Admin02-> Continuously click "Disconnect" & "Connect"														
No AP is found issue (bug#095)	Reliability->Switch user->Admin01<->Admin02->Wake up from Sleep mode														
Connecting a WEP AP with the incorrect network key (bug#099)	Reliability-> Switch user -> Move location-> 9F to 15F														

# RevisionHistory

		Fail to connect APs after moving (bug#098)	Reliability -> Switch user -> Move location-> 9F to 12F	
2.6.4008	2007/8/24	Enrich the relationship between issue and		Cosmo
		Issue	Test case	
		eNet is in disconnected state when first launch ETF (bug#108)	Functionality-> UI-> Amazing icon	

## Preparation

Schedule		
Item	Result	Remark
Owner	Cosmo Chien	
Reviewer		
Period (Expected)	2007/12/21~2007/12/21	
Period (Practical)	2007/12/21~2007/12/21	
Priority selection		
Item	Result	Remark
P2	A	Please fill "A or B"
Check the devices are testable		
Item	Result	Remark
Hardware-dependent		
WMI	Pass	
INT15	Pass	
Software-dependent		
eAPs		
Silent install in Audit	Pass	Essential
Enable logs	Pass	Essential
Related document		
Item	Result	Remark
Before testing		
需求追溯表	N/A	
Build notes	Pass	
Release notes	Pass	
Environment		
Item	Result	Remark
System environment		
Notebook platform	Huron-34	
CPU	Intel Core2 CPU T7200 @ 2.00GHz	
RAM	1GB	
BIOS	V1.00	
OS	Microsoft Windows Vista Home Basic SP1 EN	
Installed programs		Paste "Control Panel->Programs and Features / Add or Remove Programs"
eAP version	ETF 2.5.4300 eNet 2.6.4304 ePower 2.5.4302 eAudio 2.5. ePresentation 2.5.4300 eDataSecurity 2.8.4350 eLock 2.5.4302 eRecovery 2.5.4302 eSetting 2.5.4302	Paste "eAP tool-bar->About"

## BugSummary

New bugs found		
Bug verification		
Bug	Result	Remark/Status
[Bug 117] Connect to acerWireless but eNet main window still shows disconnected.	Not duplicate	
[Bug 116] No response when clicking the wired network card settings button. (Only happens on Pantanal-43 VU X64)	Pass	Close
[Bug 114] Connect to WLAN but eNet main window still shows disconnected.	Not duplicate	

# Functionality

Priority	Item	Remark	Pass / Fail
	Install/uninstall		
	Upgrade program		
2-A	ETF is closed first		
1	ETF is not closed first		
	Install program		
	Silent install		
1	General		Pass
2-A	The same version exists		Pass
	Manual install		
2-A	ETF is closed first		Pass
1	ETF is not closed first		Pass
	Execute multiple installations		
	Uninstall program		
2-A	ETF is closed first		Pass
1	ETF is not closed first		Pass
	Profile management		
	Auto		
	Create		
2-A	General		Pass
	Delete		

# Functionality

1	General		Pass
1	Delete "Auto"		Pass
	Edit		
2-A	General	- Profile settings cases: Functionality- >Profile Settings	Pass
1	Edit the profile in use	- Profile settings cases: Functionality- >Profile Settings	Pass
	Rename		
	Export		
1	Export to USB device	- Added according to bug#104	Pass
	Import		
	File corruption		
	Profile settings		
	WLAN Settings		
	Internet		
	Filewall		
	Internet		
	Enable		
	PPPoE		
	Enable		
	Shared Folders		
	Printer and Programs		
	Wireless association		
	Security setting		
	eNet settings		
	General		
	Launch when starting		
	Profile switching		
	Automatic switching		
	Network		
	UI		
	Network advisor		

# Functionality

	Main		
	Diagnostic tools		
	Launch/exit program		
	Launch		
1	From tool-bar		Pass
1	From "Start Menu"		Pass
1	From "Tray icon"		Pass
1	Exit		Pass
1	Amazing icon	- Add on 2.6.4008 according to bug#108	Pass
	Hardware button		

## Compatibility

Priority	Item	Remark	Pass / Fail
	Software-dependent		
	Device Manager		
	WLAN driver		
2-A	Disable		Pass
	LAN driver		
1	Disable	- The case could be implemented by ePower CableSense function	Pass
1	Enable	- The case could be implemented by ePower CableSense function	Pass
	Network and Sharing Center		
	Manage wireless network		
	Sharing and Discovery		
	Password protected sharing		
	Public folder sharing		
	File sharing		
	Manage the profile		
1	Connect to a network		Skip
	Bypass Proxy Server		
1	Apply profile setting	- Add on 2.6.4008 according to bug#107	Pass



## Compatibility

1	Change IE proxy setting	- Add on 2.6.4008 according to bug#107	Pass
	Hardware-dependent		
	WLAN		
1	Intel	- Should collect and define "releated functions"	Pass
1	Broadcom	- Should collect and define "releated functions"	Pass
1	Atheros	- Should collect and define "releated functions"	N/A
	LAN		
1	Broadcom		Pass
1	Non-Broadcom		Pass

# Performance

Priority	Item	Description	Criterion	Remark	Pass / Fail
	Light loading (After restarting the test device)				
	Heavy loading				

# Reliability

Priority	Item	Remark	Pass / Fail
	Power mode (S3/S4)		
	Sleep		
	Enable "Switch... automatically"		
	Static		
2-A	On battery		Pass
	Dynamic		
2-A	On battery->Sleep- >Plugged in		Pass
	Disable "Switch... automatically"		
	Static		
2-A	On battery		Pass
	Dynamic		

## Reliability

2-A	On battery->Sleep->Plugged in		Pass
	Hibernate		
	Enable "Switch... automatically"		
	Static		
2-A	On battery		Pass
	Dynamic		
2-A	On battery->Sleep->Plugged in		Pass
	Disable "Switch... automatically"		
	Static		

## Reliability

2-A	On battery		Pass
	Dynamic		
2-A	On battery->Sleep->Plugged in		Pass
	Switch user		
	Admin01<->Admin02		
2-A	Profile management		Pass
1	Continuously click "Disconnect" & "Connect"	- Added according to bug#096	Pass
	LAN environment		

# Reliability

2-A	Different		Pass
	WLAN environment		
1	The same		Pass
1	Different		Pass
	Admin<->Standard		
2-A	Profile management		Pass
	LAN environment		
2-A	The same		Pass
	WLAN environment		
2-A	The same		Pass
	Admin<->Guest		
	Standard<->Guest		
	Move location		
	Long time test		

## Regression

Those changed in this release	Possible effect (Items to be tested further)	Test result from PA (Pass / Fail)
Issues solved		
[116] No response when clicking the wired network card settings button. (Only happens on Pantanal-43 VU X64)	Launch Wired adapter property	Pass
	Launch Wireless adapter	Pass
Spec changes		

AdHoc

Priority	Item	Remark	Pass / Fail