



Yealink Product Highlights



YEALINK NETWORK TECHNOLOGY CO., LTD

Tel:0592-5702000 Email: sales@yealink.com

Table of Content

Company Profile	3
About Yealink Yealink Partners	
Comany Accreditation	6
Compatibility Customer Awards	
DECT Phone Series	8
IP DECT Phone W52P	
Video Phone Series	9
Business Video Phone VP530	
IP Phone Series	11
Gigabit Color IP Phone T3 series IP Phones T2 series and T1 series	
Yealink IP Phone Accessories	19
IP Phone Expansion Module IP Phone Headset Wireless Headset Adapter	
Cloud-based Service	21
Yealink RPS Cloud-based Service	
Yealink Highlight Solutions	23
Unified Communication Solution Small and Medium Businesses Solution Enterprise Solution IP Contact Center Solution	

Carrier Solution





Compatibility

























Customer

































Awards



Best VoIP Phone for IT SPA in Europe



Gold Medal for Best IP Phone in Russia



Supplier 2011 Award



2011Internet Telephony Product Of the Year Award



The Best IP Phone 2010 Internet Telephony for IPCC in China Product Of the Year Award



Most Innovative Product Award, ITEXPO 2009



Electronics Design Awards



UNLEASH THE TRUE POWER OF COLLABORATION

Yealink VP530, the latest innovation of enhanced and advanced executive IP video phone, its seamlessly unifying audio and video applications allow you to unleash the power of collaborative technologies to enhance the professionalism and productivity of your business communications. Easy to use and rich in empowering business features VP530 an ideal all-in-one tool for various executive and managerial environments, including Blue Chip, SME, SOHO, public sector offices, etc. With its excellent user experience and rich business features, VP530 creates an immersive, face-to-face experience over the network, empowering users collaborate with each other like never before



VP530

IP Video Phone

- TI DaVinci dual-core chipset, 2M CMOS camera
- 7" 800x480 digital LCD, Touch screen
- HD Voice, Full-duplex speakerphone
- H.264 and H.263 video codec supported
- 4 VoIP accounts, local 3-way video conferencing
- BLF, Intercom, 18 one-touch soft DSS keys
- 3-touch contacts search and intelligent fast search
- XML/ LDAP phonebook
- Door phone application
- FTP/ TFTP/ HTTP/ HTTPS/ PnP Auto-provision
- SRTP/ TLS/ DNS SRV, VLAN QoS, DSCP, ToS,
- PoE, 2xRJ45, 1xUSB, 1xSD, Headset



IP DECT Phone W52P

Yealink IP DECT Phone SIP-W52P, SIP Cordless Phone System, is designed for small business users who are looking for immediate cost saving but scalability and exquisite experience. Equipping with a high-quality TFT color display and high definition speakerphone, it provides a clear view from all angles and ensures effective communication. Supporting 4 simultaneous calls on per base, and offering professional features like intercom, transfer, 3-way conferencing, speed dial, etc., it works well with Broadsoft, Asterisk, 3CX and supports quick and easy configuration.



W52

DECT Phone

- 1.8" color display with intuitive user interface
- Support for 4 simultaneous network conversations
- HD Voice (G.722) on DECT radio
- Full-duplex hands-free speaker phone on cordless handset
- Up to 300m outdoors, 50m indoors
- ECO DECT with no radiation1
- Up to 5 cordless handsets
- Up to 500 phonebook in base, synchronization with handsets via DECT radio
- Compatible with Asterisk and BroadSoft
- Wall mountable base unit
- PoE integrated



Gigabit Color IP Phone T3 Series

SIP-T3 Series IP Phone is Yealink latest innovation for managers with demanding collaborative communication needs. For managers, it is a future-proofing network investment which supports seamless migration to GigE-based network infrastructure. Dual-port Gigabit Ethernet is designed for flexible deployment options and lower cabling expenses. With its high-resolution TFT color display, The T38G IP Phone offers a brilliant depiction of caller's information and the user interface was designed for clarity and intuitive operation. Moreover, Equipped with the TI Aries chipset, HD handset, HD speaker and HD codec (G.722), The T38G IP Phone offers an unrivaled, lifelike audio experience. Additionally, T38G IP Phone includes a host of telephony features to increase efficiency.



SIP-T38G

Gigabit Color Phone

- TI Aries chipset and TI voice engine
- Dual-port Gigabit Ethernet (Router & Switch)
- Power over Ethernet
- Supports IPv6
- 4.3" TFT-LCD, 480 x 272 pixel, 16.7M colors
- Color Picture Caller-ID
- Convenient and intuitive user structure
- Headset, EHS support, LCD Expansion module
- Broad and deep interoperability



SIP-T32G

Gigabit Color Phone

- TI Aries chipset and TI voice engine
- Dual-port Gigabit Ethernet (Router & Switch)
- Power over Ethernet
- Supports IPv6
- 3" TFT-LCD, 400 x 240 pixel, 262K colors
- Color Picture Caller-ID
- Convenient and intuitive user structure
- Headset
- Broad and deep interoperability






SIP-T38G

SIP-T32G

Chipset	TI Aries	TI Aries
LCD	4.3" TFT-LCD 480 x 272 pixel 16.7M colors	3" TFT-LCD 400 x 240 pixel 262K colors
Programmable Keys	16	3
User Accounts	6	3
Expansion Module	\checkmark	_
PoE/ Headset	$\sqrt{}$	\checkmark
HD Voice	HD Codec HDHandset HDSpeaker	HD Codec HDHandset HDSpeaker
Speakerphone	Full-duplex	Full-duplex
Wideband Codec	G.722 G.711	G.722 G.711
Narrowband Codec	G.723.1 G.726 G.729AB	G.723.1 G.726 G.729AB
3-way conferencing	$\sqrt{}$	\checkmark
BLF/BLA	$\sqrt{}$	\checkmark
XML Browser	_	_
XML Phonebook	$\sqrt{}$	\checkmark
Hot-desking	_	_
OpenVPN	$\sqrt{}$	\checkmark
SRTP/ TLS/ HTTPS	\checkmark	$\sqrt{}$
802.1x	√	\checkmark
Auto Provision	TFTP/FTP/HTTP HTTPS/PnP	TFTP/FTP/HTTP HTTPS/PnP

IP Phone T2 Series

Yealink IP Phone T2 and T1 series represents the next generation VoIP phone which designed for the business user who needs rich telephony features, friendly UI and super voice quality. It is equipped with the TI TITAN chipset, offers high definition voice quality through TI voice engine, HD handset, HD speaker and HD codec (G.722). By the large, high-resolution graphical display, and together with up to 48 keys, it offers an excellent user experience to configure, make calls, express XML browser, etc. Moreover, to avoid problems with unwanted violations of your audio data, Yealink SIP-T28P supports the security standards TLS, SRTP, HTTPS, 802.1x, Open VPN and AES encryption which are necessary to protect against electronic eavesdropping and data theft.





SIP-T28P

- TI TITAN chipset and TI voice engine
- 320x160 graphic LCD with 4-level grayscales
- 6 VoIP accounts, BroadSoft/ Asterisk/ Avaya validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 48 keys including 16 programmable keys
- BLA/ BLF, BLF list, SMS, Voicemail, Net conference, Intercom/ Paging
- Hot-desking, Localized language, Soft key programmable
- Browser, XML phonebook, LDAP
- FTP/ TFTP/ HTTP/ HTTPS/ PnP Auto-provision
- SRTP/ HTTPS/ TLS, VLAN/ QoS, VPN, 802.1x, IPv6, LLDP
- PoE, Headset, 2xRJ45, Expansion module, EHS



SIP-T26P

- TI TITAN chipset and TI voice engine
- 132x64 graphic LCD with backlight
- 3 VoIP accounts, BroadSoft/ Asterisk/ Avaya validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 45 keys including 13 programmable keys
- BLA/ BLF, BLF list, SMS, Voicemail, Net conference, Intercom/ Paging
- Hot-desking, Localized language, Soft key programmable
- Browser, XML phonebook, LDAP
- FTP/ TFTP/ HTTP/ PnP Auto-provision
- SRTP/ HTTPS/ TLS, VLAN/QoS, VPN, 802.1x, IPv6, LLDP
- PoE, Headset, 2xRJ45, Expansion module, EHS



SIP-T22P

- TI TITAN chipset and TI voice engine
- 132x64 graphic LCD with backlight
- 3 VoIP accounts, BroadSoft/ Asterisk/ Avaya validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 32 keys including 4 soft keys
- BLA/ BLF, BLF list, SMS, Voicemail, Net conference, Intercom/ Paging
- Hot-desking, Localized language
- Browser, XML phonebook
- FTP/ TFTP/ HTTP/ PnP Auto-provision
- SRTP/ HTTPS/ TLS, VLAN/ QoS, 802.1x, IPv6, LLDP
- PoE, Headset, 2xRJ45, Wall-mountable



SIP-T20P

- TI TITAN chipset and TI voice engine
- 3-line LCD(2 x 15 characters and an icon line)
- 2 VoIP accounts, BroadSoft/ Asterisk/ Avaya validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 31 keys including 9 function keys
- BLA/BLF, BLF list, Voicemail, Net conference, Intercom/ Paging
- Call completion, Call recording
- Localized language, Phonebook
- FTP/ TFTP/ HTTP/ PnP Auto-provision
- SRTP/ HTTPS/ TLS, VLAN/ QoS, VPN, 802.1x, IPv6, LLDP
- PoE, Headset, 2xRJ45, Wall-mountable



SIP-T18P

- TI TITAN chipset and TI voice engine
- 2 programmable keys, IVR system
- Voicemail, 3-way conference