



Yealink IP Phone VS Cisco UC Phone



Confidential

WWW.YEALINK.COM

Product Proposal

Yealink:



T19P



T20P



T22P



T26P



T28P



T38G



T42G/T41P



T46G

Cisco UC:



Cisco 3905



Cisco 7911G



Cisco 7942G





Cisco 7945G




Cisco 7965G



Yealink SIP-T19P VS Cisco 3905

Model	 <p>Yealink SIP-T19P</p>	 <p>Cisco 3905</p>
Physical Property	<ul style="list-style-type: none"> • 5-line 132x64 pixels graphical LCD • SIP accounts: 1 • Soft keys: 4 • Dual 10/100M Ethernet port • PoE support • DHCP/TFTP/FTP/HTTP/HTTPS/PnP 	<ul style="list-style-type: none"> • 2-line 128x32 pixels graphical LCD • SIP accounts: 1 • Dual 10/100M Ethernet ports • PoE support • DHCP/TFTP
Competitive Advantages	<ul style="list-style-type: none"> • Better display • Support soft keys • Easy to use and deploy • Rapid technical supports directly from Yealink 	


Yealink SIP-T20P VS Cisco 3905

Model	 <p>Yealink SIP-T20P</p>	 <p>Cisco 3905</p>
Physical Property	<ul style="list-style-type: none"> • 3-line LCD (2x15 characters) • SIP accounts: 2 • Line keys with LED indicator: 2 • Soft keys: 4 • Codec: G.726,G.711(A/μ), G.729AB, G.722, G.723, iLBC • Dual 10/100M Ethernet ports • PoE support • DHCP/TFTP/FTP/HTTP/HTTPS/PnP • Headset • XML phonebook 	<ul style="list-style-type: none"> • 2-line 128x32 pixels graphical LCD • SIP accounts: 1 • Codec: G.711(A/μ), G.729AB, G.729, G.729A • Dual 10/100M Ethernet ports • PoE support • DHCP/TFTP
Competitive Advantages	<ul style="list-style-type: none"> • Support more accounts • Easy to use and deploy • Rapid technical supports directly from Yealink 	

Yealink SIP-T22P VS Cisco 7911G

Model	 <p>Yealink SIP-T22P</p>	 <p>Cisco 7911G</p>
Physical Property	<ul style="list-style-type: none"> • 132x64 pixels graphical LCD with backlit • SIP accounts: 3 • Line keys with LED indicator: 3 • Soft keys: 4 • Codec: G.726,G.711(A/μ), G.729AB, iLBC, G.722, G.723 • Dual 10/100M Ethernet ports • PoE support • DHCP/TFTP/FTP/HTTP/HTTPS/PnP 	<ul style="list-style-type: none"> • 3-line 192x64 pixels graphical LCD • SIP accounts: 1 • Soft keys: 4 • Codec: G.711A, G.711, G.729AB, G.729B, G.729A, iLBC • Dual 10/100M Ethernet ports • PoE support • DHCP/TFTP
Competitive Advantages	<ul style="list-style-type: none"> • More accounts support • Easy to use and deploy • Rapid technical supports directly from Yealink 	




Yealink SIP-T28P/T26P VS Cisco 7942G

Model	 Yealink SIP-T28P	 Yealink SIP-T26P	 Cisco 7942G
Physical Property	<ul style="list-style-type: none"> • 320x160 pixels graphical LCD with backlit • Programmable keys: 16 • SIP accounts: 6 • Line keys with LED indicator: 6 • Dual 10/100M Ethernet ports • PoE support • DHCP/TFTP/FTP/HTTP/HTTPS/PnP • SMS • Extension Module : up to 6x38 keys 	<ul style="list-style-type: none"> • 132x64 pixels graphical LCD with backlit • Programmable keys: 13 • SIP accounts: 3 • Line keys with LED indicator: 3 • Dual 10/100M Ethernet ports • PoE support • DHCP/TFTP/FTP/HTTP/HTTPS/PnP • SMS • Extension Module : up to 6x38 keys 	<ul style="list-style-type: none"> • 320x 222 pixels graphical LCD • Programmable keys: 2 • SIP accounts: 2 • Line keys with LED indicator: 2 • Dual 10/100M Ethernet ports • PoE support • DHCP/TFTP
Competitive Advantages	<ul style="list-style-type: none"> • More programmable keys and line keys • Support extension module • Rapid technical supports directly from Yealink 		

Yealink SIP-T38G/T32G VS Cisco 7945G

Model	 <p data-bbox="555 561 855 593">Yealink SIP-T38G</p>	 <p data-bbox="1093 561 1382 593">Yealink SIP-T32G</p>	 <p data-bbox="1675 561 1886 593">Cisco 7945G</p>
Physical Property	<ul style="list-style-type: none"> • 480x272 pixels color LCD with backlit • Programmable keys: 16 • Line keys with LED indicator: 6 • Soft keys: 4 • Dual 10/100/1000M Ethernet ports • PoE support • DHCP/TFTP/FTP/HTTP/HTTPS/PnP • Extension Module : up to 6x38 keys 	<ul style="list-style-type: none"> • 400x240 pixels color LCD with backlit • Programmable keys: 13 • Line keys with LED indicator: 3 • Soft keys: 4 • Dual 10/100/1000M Ethernet ports • PoE support • DHCP/TFTP/FTP/HTTP/HTTPS/PnP 	<ul style="list-style-type: none"> • 320x240 pixels color LCD with backlit • Programmable keys: 2 • Line keys with LED indicator: 2 • Soft keys: 4 • Dual 10/100/1000M Ethernet ports • PoE support • DHCP/TFTP
Competitive Advantages	<ul style="list-style-type: none"> • Better display • More programmable keys and line keys • Support extension module • Rapid technical supports directly from Yealink 		

Yealink T4XG VS Cisco 7965G

Model	 Yealink SIP-T46G	 Yealink SIP-T42G/T41P	 Cisco 7965G
Physical Property	<ul style="list-style-type: none"> • 480x272 pixels color LCD with backlit • Line keys with LED indicator: 10 • Programmable keys: 27 • Dual 10/100/1000M Ethernet ports • PoE support • Extension Module : up to 6x40 keys • Bluetooth support 	<ul style="list-style-type: none"> • 192x64 pixels graphical LCD with backlit • Line keys with LED indicator: 6 • Programmable keys: 15 • Dual 10/100/1000M Ethernet ports(T42G) • PoE support 	<ul style="list-style-type: none"> • 320x240 pixels color LCD with backlit • Line keys with LED indicator: 6 • Programmable keys: 6 • Dual 10/100/1000M Ethernet ports • PoE support • Extension Module : up to 2x24 keys
Competitive Advantages	<ul style="list-style-type: none"> • Better display • Paper label free design • Bluetooth support • Rapid technical supports directly from Yealink 		

Thank you.