



Yealink Products




WWW.YEALINK.COM

Agenda

- Y **Why Yealink**
- Y **Yealink Products**

Why Yealink

High Quality



- Over Millions of units shipment worldwide
- Much lower than industry standard

HD Voice



New designed HD Handset




**Improved sound box
mechanical design**



Yealink HD voice solution

- **TIA-920 compliance**
- **HAC and HD supported**

Yealink Position



Full Range Products



Redirection Server

**Cloud-based Service
Redirection and
Provisioning Service**



SIP-T41P



SIP-T42G



SIP-T46G



SIP-T48G

T4 series IP Phone



SIP-T32G



SIP-T38G



VP530



W52P

**T3 series & Video
phone & Dect
phone**



SIP-T20P



SIP-T22P



SIP-T26P



SIP-T28P

**T2 series IP
Phone**

Yealink T46G/T42G | New Product

SIP-T42G



- 2.7" 192 x 64 Pixels Graphic Display
- Up to 15 Paperless DSS Keys
- Dual port Gigabit Ethernet
- 3 SIP Accounts
- Headset, EHS Support

SIP-T46G



- 4.3" 480 x 272 Pixels Color Display
- Up to 27 Paperless DSS Keys
- Dual port Gigabit Ethernet
- 6 SIP Accounts
- Bluetooth/Headset/EHS Support
- Expansion Modules

Yealink T41P | New Product

SIP-T41G



- 2.7" 192 x 64 Pixels Graphic Display
- Up to 15 Paperless DSS Keys
- Dual port **Megabit** Ethernet
- 3 SIP Accounts
- Headset, EHS Support

SIP-T42G



- 2.7" 192 x 64 Pixels Graphic Display
- Up to 15 Paperless DSS Keys
- Dual port **Gigabit** Ethernet
- 3 SIP Accounts
- Headset, EHS Support

SIP-T3XG | Color Screen & Gigabit

- Dual-port Gigabit Ethernet
- 4.3" TFT-LCD, 480*272 pixel, 16.7M colors
- 10 DSS keys
- Expansion module, EHS
- TI Aries chipset and TI voice engine
- HD Voice
- 6 VoIP accounts
- PoE, Headset

Differences VS T38G:

- 3" TFT-LCD, 400*240 pixel, 262K colors
- 3 VoIP accounts



T38G



T32G

SIP-T2XP | High-end

- Dual-port Ethernet
- 320*160 graphic LCD
- 10 DSS keys
- Expansion module, EHS
- TI TITAN chipset and TI voice engine
- HD Voice
- 6 VoIP accounts
- PoE, Headset

Differences VS T28P:

- 132*64 graphic LCD with backlight
- 3 VoIP accounts



T28P



T26P

SIP-T2XP | Low-end

- Dual-port Ethernet
- 132*64 graphic LCD with backlight
- 3 VoIP accounts
- TI TITAN chipset and TI voice engine
- HD Voice
- PoE, Headset, Wall-mountable

Differences VS T22P:

- 3-line LCD (2*15 chars and an icon line)
- 2 VoIP accounts



T22P



T20P

Coreless DECT Phone-W52P

Core Features

- **HD Codec, HD Speaker, HD Handset**
- **Integrated PoE (Class 1)**
- **CAT-iq2.0/ECO/ECO+/Repeater Supported**
- **1.8" color display with intuitive user interface**
- Up to 5 DECT cordless handsets
- Up to 4 simultaneous external calls
- Up to 5 VoIP accounts
- 10 hours talk time, 100 hours standby time
- 6 Programmable keys
- DECT radio coverage up to 50m indoors and 300m outdoors



Accessories

LCD Expansion Module



EXP40

- 160x320 graphic LCD
- 20 DSS keys with dual LED
- Support only to T46G/T48G

Bluetooth Dongle



BT40

- USB 2.0
- Bluetooth 4.0 + EDR
- Reserved extended

Wireless Headset Adapter



EHS36

- Compatible
- Support all T4 Series

Corded Headset



YHS32

- Comfortable
- Noise Cancelling
- Support all T4 Series

Rich Features 1/2

High Security

- ✓ HTTPS/CFG provisioning security
- ✓ SRTP : Secure conversation
- ✓ VPN : Secure remote access
- ✓ ...

Flexible Programmable Keys :

- ✓ Softkey Layout
- ✓ Plenty of programmable keys
- ✓ Programmable keys with LED indication
- ✓ Up to 6x38 DSS keys with 6 Expansion Modules
- ✓ Up to 30+ programmable features

Rich Features 2/2

Rich Directory :

- ✓ IP PBX Directory Integration
- ✓ Local Phonebook
- ✓ Central Phonebook with Grouping
- ✓ LDAP Phonebook
- ✓ Intelligent Search

Value-added features :

- ✓ Hot-desking/CTI features
- ✓ Multicast paging
- ✓ IPv6
- ✓ Call Recording
- ✓ 2 SIP Backup Server mode

Thank you...

Q & A